PRODUCT GUIDE









HISTORY

DEFINES OUR FUTURE



Brothers Richard and Donald Rheem founded Rheem Manufacturing Company in Emeryville, CA, in 1925. While the company has produced several products in its nearly 100 years of operation, Rheem is currently the only manufacturer in the world that produces heating, cooling, water heating, pool & spa heating and commercial refrigeration products and it is the largest manufacturer of water heating products in North America.

Award-Winning Innovations

From industry-leading technologies to next generation energy efficiencies, Rheem has been a pioneer in developing some of the most innovative advancements in heating, cooling and water heating. With a long list of award-winning solutions, Rheem continues to deliver advanced comfort, savings and experiences to our customers.



A Trusted Family of Brands

Both in the US and abroad, innovative products from the Rheem family of brands lead the industries they serve. To maintain our leadership position regardless of the brand badge affixed to them—our products must always be unique in the marketplace, relevant to our customers' lifestyles, and authentic to our company's values.



















WHY CHOOSE RHEEM

Rheem water heaters were first introduced to the Singapore market in 1968. It has grown into a well recognized residential and industrial brand, trusted for its high quality and reliability. In over 50 years of local water heating expertise, Rheem has maintained a good reputation and gained trust and confidence from project specifiers, developers, installers and end users across the Asian region.

Rheem offers a wide range of residential and commercial products including solar thermal, heat pumps, gas-fired and electric storage water heaters.



RHEEM ASIA PRODUCT OVERVIEW

RESIDENTIAL WATER HEATER PRODUCT OVERVIEW

Rheem Residential - Electric Instant Heaters





PRESTIGE PLATINUM

- On demand endless hot water
- Ideal for low and high-water pressureDigital touch screen LED display
- Quadruple safety protection
 Accuracy temperature ± 1°C

- Replaceable incoloy heating element
 Stainless steel heating chamber
 Built in DC silent pump (On selected model)
- 6 spray shower modePower 3.3-4.5kW 220-240V 50-60Hz



PRESTIGE PLUS

- On demand endless hot water
- Ideal for low and high-water pressure
- Quadruple safety protection
- Accuracy temperature ± 1°C
 Replaceable incoloy heating element
- Stainless steel heating chamber
- 6 sprav shower mode
- Power 3.3-4.5kW 220-240V 50-60Hz



PRESTIGE

- On demand endless hot water
- Ideal for low and high-water pressureQuadruple safety protection
- Replaceable incoloy heating elementStainless steel heating chamber
- 3 spray shower mode Power 3.3-4.5kW 220-240V 50-60Hz



CLASSIC ELECTRONIC

- On demand endless hot water
- Power dial control
- Dual thermostat safety protection
- Copper heating element3/5 spray shower mode
- Power 3.0-5.5kW 220-240V 50-60Hz

Rheem Residential - Electric Storage Tanks





- Slimline design
- Fits all small and medium apartments
- Superior enamel tankHigh density PU foam
- · Long lasting incoloy heating element
- High precision thermostat control
- Resistored magnesium anode
- Comes in 20L



- Fits all small and medium apartments
- Superior enamel tank
- High density PU foamLong lasting incoloy heating element
- High precision thermostat control
- · Resistored magnesium anode • Comes in 10L, 15L & 30L



CLASSIC POU

- Exclusive Rheemglas Enamel Tank
- UL approved combined T&P valve
- · Automatic thermostat
- Over temperature protector (ECO)
- Incoloy sheathed immersion heating element
 High density PU foam
- CFC free polyurethane insulation
- Large anode rod protectionComes in 22L, 38L, 57L, 75L, & 113L





EV & EH CLASSIC SERIES

- Exclusive Bheemglas Enamel Tank UL approved combined T&P valve
- · Automatic thermostat
- Over temperature protector (ECO)
- Incoloy sheathed immersion heating element
 High density PU foam
- CFC free polyurethane insulation
- Large anode rod protection
 Comes in 30L, 50L, 80L & 100L



RVE CLASSIC

- Superior enamel tank
- High density PU foamLong lasting incoloy
- heating element

 High precision thermostat control
- Resistored magnesium anode
- Temperature colour display Comes in 50L, 80L & 100L



RHE CLASSIC

- Superior enamel tank
- High density PU foam Long lasting incoloy
- heating element

 High precision thermostat control
- Resistored magnesium anode Temperature colour display
- Comes in 50L, 80L & 100L



EHG CLASSIC

- Fits all small and medium apartments
- Superior enamel tank
- High density PU foam
 Long lasting incoloy
- heating element High precision thermostat control
- Resistored magnesium anode
- Comes in 30L, 40L, 50L, 60L, 80L, 90L & 100L



EHG SLIMLINE

- Slimline design with 340mm
- · Fits all small and medium apartments
- Superior enamel tank
 High density PU foam
- Long lasting incoloy
- heating element
 High precision thermostat control
- Resistored magnesium anodeComes in 25L, 40L & 55L



86H SERIES

- Exclusive Rheemglas
- Enamel Tank UL approved combined
- T&P valve

 Automatic thermostat protection • Over temperature protector (ECO)
- Incolov sheathed immersion
- heating element High density PU foam
- CFC free polyurethane insulation
- Large anode rod protection
 Comes in 25L, 40L, 55L, 75L & 100L

COMMERCIAL WATER HEATER PRODUCT OVERVIEW



CUSTOMIZED CONTROL PANEL

- Singapore Standard CP5:1998 wiring code
- Customizable
- Indoor (IPX4) or outdoor (IP54) enclosure
- Caters to a range of mains incoming electrical current
- 230V/1Ph/50Hz and 400V/3Ph/50Hz (60Hz available)

Rheem Commercial Electric Tanks



CLASSIC 82 & 85 SERIES

- 114L 454L tank capacities
- High performance & low operating cost
- · Automatic thermostat



HEAVY DUTY

- 50L 315L tank capacities
 Up to 6 heating elements in cylinder
- Over temp cut off to prevent
- over heating • 7480L hot water in the first hour
- Indoor & outdoor installation



XES COMMERCIAL

- 189L 662L tank capacities
- Surface mounted and immersion thermostat models
- System SentineITM LED Diagnostics
- 208, 240, 277 and 480 voltagesMultiple heating elements from
- 6kW to 54kW

Rheem Commercial Gas Tanks



UNIVERSAL COMMERCIAL

- 132L 379L tank capacities
- 80% Thermal efficientDesigned to fit into tight spaces
- Space saving tank design
- System SentineITM LED diagnostics.
- 28.7kW to 117.2 kW heating capacity
- Compatible for natural gas, town gas & LPG
- 98,800-399,900 BTUH Input



HEAVY DUTY OUTDOOR

- 260L 275L tank capacities
- 275L can be used indoors
 Multi-Fin technology for faster
- efficient heating Multiple anodes & double layer
- vitreous enamel • 51,000 - 200,000 BTUH input



HEAVY DUTY INDOOR

- 260L tank capacity
- Adjustable thermostats
- Equa-flow system
- 100% safety shut down 51 000 – 200 000 BTUH input



HEAVY DUTY INDOOR

- 265L & 275L tank capacities
- Multi-Fin technology for faster efficient heating
- Multiple anodes & double layer
- vitreous enamel Hot surface ignition for economy
- BMS option available
 51,000 200,000 BTUH input

Rheem Commercial Storage Tanks



S/S316 TANK (VENTED TYPE) (UP TO 100,000L)

- Factory argon welded modular panel
- Choice of tank material SS304 or SS316L
 Modular panel thickness 1.2-2.0mm
- Closed cell flexible foam with SS201



ASME VERTICAL & HORIZONTAL TANKS (UP TO 9800L)

- Installed indoor or outdoor
- Foam insulation
- Natural aluminum jacket



STAINLESS STEEL NON-VENTED STORAGE TANK (500 TO 10,000L++)

- Tank material SUS316L / SUS304 / SUS444
- Standard maximum working pressure 0.6MPa
- Customized maximum working pressure up to 4.0MPa

 • Vertical and horizontal orientations
- Customizable water, sensor heating element connections



COMMERCIAL STORAGE TANKS (UP TO 622L)

- 303L, 435L & 622L capacities
- Insulated with 2" rigid polyurethane
- Long life tank designBuilt-in 2 heavy duty magnesium
- anode rods
- ASME models available


COMMERCIAL WATER HEATER PRODUCT OVERVIEW

Rheem Solar Premier Hi Line & Lo Line











SOLAR PREMIER HILINE 52H180

- Close coupled collectors and stainless steel 300L tank
- S200 collector provides good performance in all locations
- Fully frost protected to as low as -28°C
- · Better suited to poor water quality areas

SOLAR PREMIER HILINE 52H300

- 300L tank capacity
- Space saving design
 Complete frost protection Use thermosiphon technology
- Electric & gas boosted models

PREMIER LOLINE 591270

- 270L tank capacity Complete frost protection
- Electric & gas boosted models
- Split design reduces structural load roof
- Drain back technology against freezing & over heating

PREMIER

- 270L tank capacity
 Complete frost protection
- Drain back technology against freezing & over heating



SOLAR PREHEATING COMMERCIAL SYSTEM

- 1941(H) x 1023(W) x 80(D)
- Aperture area 1.86m2
- Same level or below the collectors installation
- Freeze protection activated by sensors
 Building Monitoring System (BMS) connectivity







HEAT PUMP HDI-310

- 310L capacity
- 3.9kW
- Top down heatingNo Solar Panels
- Energy Efficient
- Back up element
- 5-year cylinder warranty



HEAT PUMP MPI-325

- 325L capacity2.4kW
- · Concealed tempering valve
- Constant recovery
- Energy efficient No solar panels
- LED display



ALL IN ONE HEAT PUMPS

- 270L & 340L capacities
- · Absorbs environmental heat into the water
- Cools and dehumidifies the ambient air
- · Glass-lined Tank
- Anode Rod equalizer
- Thick CFC free polyurethane insulation
- · Temperature and pressure relief valve
- Incoloy Heating Element
- Double wall condenser heat exchanger
- Copper tubing wrapped around tank



THERMAL POOL HEAT PUMPS

- 9kW 540kW heating capacity
- Marine grade aluminum case
- Acoustically lined compressor enclosure
- Removable coil guards for easy cleaning
- · Exclusive Rheem IQ advanced tariff control





AIR-TO-WATER AND WATER-TO-WATER HEAT PUMPS

- Marine grade aluminum case
- World renowned Copeland compressor
 Rheem IQ intelligent controller available
- Rheem cote anti corrosion



COMMERCIAL WATER HEATER PRODUCT OVERVIEW

Raypak Residential & Commercial Heaters



RESIDENTIAL HP POOL HEATER (5450, 8450, 8450)

- Exclusive DuraSteel powder-coated cabinet
- 3 blade swept wing fan
- Scroll compressor
 Pool/spa control with separate temp settings
- Remote compatible
- 103,000 119,000 BTUH inputs



RESIDENTIAL HP POOL HEATER (2450, 3450, 4450)

- Exclusive DuraSteel powder-coated cabinet
- 3 blade swept wing fan
- Scroll compressor
- Spiral titanium tube to prevent corrosion
- Pool/spa control with separate temp settings
- 48,000 80,000 BTUH inputs



COMMERCIAL POOL/SPA HEATER

- PolyTuf textured powder coating
- Wind resistant design
- Digital controls
- · Easy maintenance of burner trays • Fuel efficient
- 199,500 399,000 BTUH inputs



MVB COMMERCIAL VERTICAL POOL HEATER

- 83 To 83.3% thermal efficiency at full rate
- Tough rust resistant powder coat finish.
- Natural gas & propane available
- Whisper quiet operationNo boiler condensate drain required
- 500,000 1,999,000 BTUH inputs



OUTDOOR TRANSPARENT

- Cupro-nickel finned tube heat exchanger
- 24V control enclosed for protection
- Stainless steel burner
 Slide-out burner for easy maintenance
- 511,500 825,000 BTUH inputs



COMMERCIAL POOL HEATER

- Natural, propane & town gas
- Cupro-nickel finned tube heat exchangerIndoor & outdoor styles
- 80 82% thermal efficiency
- Electronic pilot ignition
- Slide-out burner for easy maintenance
 961,700 1,825,600 BTUH inputs



COMMERCIAL INDOOR TYPE

- Brass headers
- Cupro-nickel finned tube heat exchanger
- Spark to pilot ignition
- Stainless steel burnerSlide-out burner for easy maintenance
- 2,100,000 4,000,000 BTUH Inputs



COMMERCIAL OUTDOOR TYPE

- · Cupro-nickel finned tube heat exchanger
- Corrosion resistant steel brush galvanized
- Spark to pilot ignition Stainless steel burner
- Slide-out burner for easy maintenance
 926,000 1,758,000 BTUH Inputs



The new degree of comfort.®

CALL US FOR SOLUTIONS TO YOUR HOT WATER PROBLEMS.

Rheem Manufacturing Company (Singapore) Pte Ltd

f @Rheem.ASEAN

☐ Rheem_asean

in Rheem ASEAN

Website: www.RheemAsia.com

Product image and specifications subject to change without prior notice

Authorised Dealer